



BOSCH



NOVITETI – MERNI ALATI

Laser za linije - GLL 2-15 G professional

Kombinovani laser - GCL 2-50 G Professional



LASERI ZA LINIJE

GLL 2-15 G PROFESSIONAL



NOVITETI - Laseri za linije GLL 2-15 G Professional

Novi robusni dizajn

1. **Gumirano telo otporno na udarce**, kompletna zaštita za bolje držanje i pozicioniranje.
2. **Gumirani odbojnik za strane**, za bolju zaštitu na obe strane klizača.
3. **Ojačano staklo**, zaštićeno gumom za dodatnu zaštitu H i V laserskih prozora.
4. **IP 64 zaštita** od prašine i prskanja vode.
5. **Unapređeno zaključavanje klatna**, bez pokreta, za maksimalnu zaštitu prilikom transporta.



NOVITETI - Laseri za linije

GLL 2-15 G Professional

Tehničke karakteristike	GLL 2-15 G Professional
Projekcije	1 horizontalna & 1 vertikalna zelena laserska linija
Područje rada	15 m
Preciznost	±0,3 mm/m
Klasa lasera	2
Tip lasera	500 – 540 nm, < 10 mW
Opseg samonivelisanja	± 4 °
Vreme samonivelisanja	< 4 sek
IP zaštita	64
Radna temperatura	-10 °C...+50 °C
Baterije	4 x 1,5 V LR6 (AA)
Prihvat za stalak	1/4"
Dimenzije	126 x 63 x 115 mm
Težina	0,57 kg



NOVITETI - Laseri za linije GLL 2-15 G Professional



0601063W00



0601063W01



0601063W02

Kataloški broj	Naziv	EAN	Obim isporuke	*VP cena RSD
0601063W00	Laser za linije GLL 2-15 G Professional	4059952511054	GLL 2-15 G, ciljna ploča, baterije 4x 1,5 V LR6 (AA), L nosač LB10	20.079,00
0601063W01		4059952511061	GLL 2-15 G, ciljna ploča, baterije 4x 1,5 V LR6 (AA), L nosač LB10, stalak BT 150	24.499,00
0601063W02		4059952511078	GLL 2-15 G, ciljna ploča, baterije 4x 1,5 V LR6 (AA), L nosač LB10, stezaljka za plafon DK 10	27.025,00

*Neobavezno preporučena VP cena bez PDV-a



KOMBINOVANI LASERI

GCL 2-50 G PROFESSIONAL



NOVITETI – Kombinovani laseri GCL 2-50 G – Professional

Novi robusni dizajn:

1. **Gumirano telo otporno na udarce**, kompletna zaštita za bolje držanje i pozicioniranje.
2. **Gumirani odbojnik za strane**, za bolju zaštitu na obe strane klizača.
3. **Ojačano staklo**, zaštićeno gumom za dodatnu zaštitu H i V laserskih prozora.
4. **IP 64 zaštita** od prašine i prskanja vode.
5. **Unapređeno zaključavanje klatna**, bez pokreta, za maksimalnu zaštitu prilikom transporta.
6. **Jednostavno upravljanje**, displej sa jednim tasterom za odabir režima rada* i indikatorom stanja baterije.



*Režim rada sa prijemnikom je konstantno uključen.



Launch Package GLL 2-15 G & GCL 2-50 G Professional

Technical Specifications: GCL 2-50 G

Technical Specifications	GCL 2-50 G Professional
Projekcije	1 horizontalna i 1 vertikalna zelena laserska linija i zelena centralna vertikalna tačka
Područje rada	15 m
Područje rada sa prijemnikom	50 m (prijemnik LR7)
Preciznost linije/tačka	±0,3 mm/m* / ±0,7 mm/m*
Klasa lasera	2
Tip lasera	500 – 540 nm, linije < 10 mW tačka < 1 mW
Opseg samonivelisanja	± 4 °
Vreme samonivelisanja	< 4 sec
IP zaštita	64
Radna temperatura	-10 °C...+45 °C
Baterije	4 x 1,5 V LR6 (AA)
Prihvata za stalak	1/4"
Dimenzije	126 x 63 x 115 mm
Težina	0,58 kg



NOVITETI - Kombinovani laseri GCL 2-50 G – Professional



0601066M00



0601066M01



0601066M02

Kataloški broj	Naziv	EAN	Obim isporuke	*VP cena RSD
0601066M00	Laser za linije GCL 2-50 G Professional	4059952511085	GCL 2-50 G, ciljna ploča, baterije 4x 1,5 V LR6 (AA), rotaciona baza RM 10	30.181,00
0601066M01		4059952511092	GCL 2-50 G, ciljna ploča, baterije 4x 1,5 V LR6 (AA), rotaciona baza RM 10, stalak BT 150	34.601,00
0601066M02		4059952511108	GCL 2-15 G, ciljna ploča, baterije 4x 1,5 V LR6 (AA), rotaciona baza RM 10, stezaljka za plafon DK 10	37.127,00

NOVITETI

Nosači



Kataloški broj	Naziv	EAN	VP cena RSD
0601092C00	L nosač LB 10 + stezaljka za plafon DK 10	4059952524825	4.924,00
0601092A00	Rotaciona baza RM 10	4059952511115	4.924,00